U.S. ARMY

Center for Army Analysis

NEA99 COSAGE BOARDS APRIL 2001



CENTER FOR ARMY ANALYSIS 6001 GOETHALS ROAD FORT BELVOIR, VA 22060-5230

DISCLAIMER

The findings of this report are not to be construed as an official Department of the Army position, policy, or decision unless so designated by other official documentation. Comments or suggestions should be addressed to:

Director Center for Army Analysis ATTN: CSCA-NE 6001 Goethals Road Fort Belvoir, VA 22060-5230

REP	ORT DOCUMENTATIO	N PAGE	Form Appro OMB No. 07	oved 24-0188
Public reporting burden fo	r this collection of information is estimated	nated to average 1 hour	per response, including th	ne time for reviewing
information. Send comme reducing this burden to Wa	sting data sources, gathering and main nts regarding this burden estimate or a ashington Headquarters Services, Dire ngton, VA 22202-4302, and to the Of	any other aspect of this contraction	collection of information, Operations and Reports, 1	including suggestions for 215 Jefferson Davis
1. AGENCY USE ONLY	2. REPORT DATE	3. REPORT TY	PE AND DATES COVI	ERED
(Leave blank)	April 2001	Final, July 19	999 - April 2001	
4. TITLE AND SUBTITI			5. FUNDING NU	MBER
NEA99 COSAGE Bo	oards			
6. AUTHOR(S)				
CPT Robert Shearer.	Mr. Dave Reynolds			
7. PERFORMING ORG	ANIZATION NAME(S) AND ADD	RESS(ES)		ORGANIZATION
Center for Army Analysis		REPORT NUM	BER	
6001 Goethals Road CAA-R-01-19				
Fort Belvoir, VA 22	2060-5230			
9 SPONSORING / MO	NITORING AGENCY NAME(S) A	ND ADDRESS(FS)	10 SPONSORING	G / MONITORING
Center for Army A		ND ADDRESS(ES)		PORT NUMBER
6001 Goethals Road	-		CAA-R-01-19	
Fort Belvoir, VA 22				
, , , , , , , , , , , , , , , , , , , ,				
11. SUPPLEMENTARY	NOTES			
12a. DISTRIBUTION / A	VAILABILITY STATEMENT		12b. DISTRIBUT	ION CODE
Approved for public	release; dissemination unlimit	ed	A	
13. ABSTRACT (Maximu	m 200 Words)			
the 1999 Northeast A Department of Defen year scenario in Nort COSAGE boards we use of updated force of US and allied direct f	Staff for Operations and Plans sia (NEA) Combat Sample Go se (DOD). The problem addresheast Asia. In order to complete used as the base case from vecompositions, removal of imprire rates of fire and single shot function, and development an	enerator (COSAGE essed was to develo ete the analysis, Con which NEA99 board roved conventional t probability of kill	b) boards to be used to be combat samples to be mbined Forces Combat samples to be would be created. The munitions from Three (SSPK) files, developed to be used to b	hroughout the model the current mand (CFC) 98 The analysis included eat artillery, updated pment and utilization
14. SUBJECT TERMS				15. NUMBER OF PAGES
COSAGE, single sho	t probability of kill			
				16. PRICE CODE
17. SECURITY	18. SECURITY	19. SECURITY	CLASSIFICATION	20. LIMITATION OF
CLASSIFICATION OF REPORT	CLASSIFICATION OF THIS PAGE	OF ABSTRA		ABSTRACT
UNCLASSIFIED	UNCLASSIFIED	LINCI ASSIEI	ED	SAD

NSN 7540-01-280-5500 Standard Form 298

NEA99 COSAGE BOARDS (COS-NEA99)

SUMMARY

THE PROJECT PURPOSE was to develop the Combat Sample Generator (COSAGE) boards to support theater level simulations throughout DOD for current year (1999) Northeast Asia (NEA) campaigns.

THE PROJECT SPONSOR is Director, Center for Army Analysis.

THE PROJECT OBJECTIVES were to:

- (1) Update the 1998 Combined Forces command (CFC) boards to reflect 1998 force compositions.
 - (2) Develop a minimum single shot probability of kill (SSPK) function.
 - (3) Develop a new aviation command and control algorithm.

THE SCOPE OF THE PROJECT was to develop combat samples for use in theater simulations of NEA campaigns.

THE MAIN ASSUMPTION was that US, allied, and threat forces utilized were of sufficient size to develop statistically robust combat samples.

THE PRINCIPAL RECOMMENDATION is to utilize the developed COSAGE boards in theater level simulations for current year campaigns in NEA.

THE PROJECT EFFORT was conducted by Mr. Dave Reynolds and MAJ Robert Shearer, Force Strategy Division.

COMMENTS AND QUESTIONS may be sent to the Director, Center for Army Analysis, ATTN: CSCA-NE, 6001 Goethals Road, Suite 102, Fort Belvoir, VA 22060-5230.

	CONTENTS	Page
1	NEA99 COSAGE BOARDS	
1.1	Introduction	1
1.2	Agenda	
1.3	Problem Statement	
1.4	Essential Elements of Analysis	
1.5	Measures of Effectiveness for Essential Elements of Analysis	2
1.6	Analysis	
1.7	Study Evolution	3
2	INPUT DATA ANALYSIS	
2.1	Input Data Analysis	
2.2	COSAGE Force Postures	
2.3	US Major Weapon Systems Highlights	
2.4	Ally Major Weapon Systems Highlights	
2.5	Threat Major Weapon Systems Highlights	
2.6	US Major Weapon Systems Quantities	
2.7	Ally Major Weapon Systems Quantities	
2.8	Threat Major Weapon Systems Quantities	
3	OUTPUT DATA ANALYSIS	
3.1	Output Data Analysis	
3.2	Ally KPS: K1 (105mm)	
3.3	Ally KPS: KIFV (TOW IIA)	
3.4	Threat KPS: T55 (100mm)	
3.5	Threat KPS: M1992 (AT3)	
3.6	US KPS: M1A2 (120mm)	
3.7	US KPS: M2A2 (TOW IIB)	
3.8	US KPS: AH-64 (Hellfire)	
3.9 3.10	US KPS: AH-64D (Hellfire RF) Threat KPS: T55 (100mm)	
3.10	` '	
3.11		
3.12	• • • •	
3.14	• • • • • • • • • • • • • • • • • • • •	
3.15	1	
3.16	•	
3.17	1	
3.18	± '	
3.19		
	ENDIX A PROJECT CONTRIBUTORS	
APP	ENDIX B REQUEST FOR ANALYTICAL SUPPORT	В-
	FIGURES	
Figu	re 1. Measures of Effectiveness for Essential Elements of Analysis	2

CAA-R-01-19

Figure 2.	COSAGE Force Postures	. 5
Figure 3.	US Major Weapon Systems Highlights	. 6
Figure 4.	Ally Major Weapon Systems Highlights	. 6
Figure 5.	Threat Major Weapon Systems Highlights	. 7
-	US Major Weapon Systems Quantities	
-	Ally Major Weapon Systems Quantities	
	Threat Major Weapon Systems Quantities	
_	Output Data Analysis	
_	Ally KPS: K1 (105mm)	
_	Ally KPS: KIFV (TOW IIA)	
_	Threat KPS: T55 (100mm)	
_	Threat KPS: M1992 (AT3)	
_	US KPS: M1A2 (120mm)	
	US KPS: M2A2 (TOW IIB)	
_	US KPS: AH-64 (Hellfire)	
-	US KPS: AH-64D (Hellfire RF)	
_	Threat KPS: T55 (100mm)	
_	Threat KPS: M1973 (AT3)	
	US Direct Fire (engagement/system/day)	
	US Indirect Fire (rounds/tube/day)	
Figure 22	LER Comparison	24
_	FER Comparison	
_	SER Comparison	
_	SER Comparison, Static Posture	27
Figure 26	SER Comparison, US/Ally Attack	28

1 NEA99 COSAGE BOARDS

1.1 Introduction

Mr. Dave Reynolds, Operational Capability Assessments, Northeast Asia Division, served as the project leader for the 1999 Northeast Asia (NEA) Combat Sample Generator (COSAGE) boards. CPT Robert Shearer completed the boards while Mr. Reynolds attended the Operations Research Systems Analysis Military Applications Course (ORSA MAC) I.

1.2	Ασ	enda
1.4	AZ	unua

TT1		C 11		. 1 .	. •	4	1 1
The	agenda	followed	l tor	thic	report 19	chown	helow
1110	agonua	IOHOWC	101	uns	1 C D O I L I S	SHOWH	DCIOW.

☐ Introduction
☐ Problem Statement
☐ Essential Elements of Analysis
☐ Measures of Effectiveness
☐ Analysis
☐ Summary

1.3 Problem Statement

The Deputy Chief of Staff for Operations and Plans (DCSOPS) tasked the Center for Army Analysis (CAA) to develop the 1999 NEA COSAGE boards for use throughout the Department of Defense (DOD). The problem entailed development of combat samples to model the current year scenario in Northeast Asia.

1.4 Essential Elements of Analysis

Essential elements of analysis (EEA) consist of the questions that must be answered in order to complete a study. Mr. Reynolds and CPT Shearer utilized the standard Combat Sample Generator (COSAGE) essential elements of analysis as listed below to guide their efforts.

Do the combat samples adequately represent the force structure?
Do the postures adequately reflect doctrinal missions?
Do the results adequately represent system-level performance?

1.5 Measures of Effectiveness for Essential Elements of Analysis

- □ Do the combat samples adequately reflect the force structure and equipment?
 - Stylized force: proportional representation of theater forces in a "division" (equipment, weapons, munitions)
- □ Do the postures adequately represent doctrinal missions?
 - Force exchange ratio (FER)
 - Loss exchange ratio (LER)
 - System exchange ratio (SER)
- **□** Do the results adequately represent system-level performance?
 - Interactions
 - Kills per shot (KPS)
 - Shots per system per day

Figure 1. Measures of Effectiveness for Essential Elements of Analysis

Measures of effectiveness (MOE) are the metrics used to assess the essential elements of analysis. The standard COSAGE measures of effectiveness listed in Figure 1 were used in this analysis.

4		A T	•
1.	h	Analy	VCIC
	v	Allai	OTO

This report covers in detail the analysis conducted during the development of the 1999 NEA COSAGE boards. Discussion of this analysis follows the outline listed below.

Study Evolution
Input Data Analysis
Output Data Analysis
Summary

1.7 Study Evolution

The study team utilized the Combined Forces Command (CFC) 98 COSAGE boards as the base case from which the NEA99 boards were created. Significant changes included incorporating updated force compositions, removal of improved conventional munitions (ICM) from the Threat artillery, updated US and any direct fire rates of fire, updated single shot probability of kill (SSPK) files from the Army Materiel Systems Analysis Agency (AMSAA), the development and utilization of a minimum single shot probability of kill function that prevented systems from engaging other systems when the probability of a hit fell below a given percentage, and the development and utilization of a new command and control (C2) algorithm in aviation units.

2 INPUT DATA ANALYSIS

2.1 Input Data Analysis

Input data analysis focused on relating COSAGE postures to the NEA theater concept of operations and significant major weapon systems of all forces. It included force postures and major weapon system highlights for US, allied, and threat forces as well as major weapon system quantities for all three forces.

2.2 COSAGE Force Postures

US Delay	Threat x 4 Vs. US x 1
US Hasty Defense	Threat x 3 Vs. US x 1
US Prepared Defense	Threat x 3 Vs. US x 1
Threat Prepared Defense	Threat x 1 Vs. US x 2
Threat Hasty Defense	Threat x 1 Vs. US x 2
Less Intense Static	Threat x 1 Vs. US x 1
Heavy Static	Threat x 1 Vs. US x 1

Figure 2. COSAGE Force Postures

COSAGE boards contain seven postures that fall into three categories: US attack, static, and US defend. The two defensive postures vary by the survivability of the defensive forces. The two static postures vary by the number of systems engaged in long-range preparatory fires. Analysis for NEA99 focused on US prepared defense, heavy static, and threat hasty defense.

2.3 US Major Weapon Systems Highlights




Figure 3. US Major Weapon Systems Highlights

The US major weapon systems included in the COSAGE boards are listed in Figure 3.

2.4 Ally Major Weapon Systems Highlights




Figure 4. Ally Major Weapon Systems Highlights

The Ally major weapon systems included in the COSAGE boards are listed in Figure 4.

2.5 Threat Major Weapon Systems Highlights

□ Tanks

T55, T62, T62C

□ Antitank Vehicles

M1973 (AT3), M1985 (85mm), M1992 (AT3), MT-12

□ Helicopters

None

□ Artillery

107, 122, 240 MRL, SCUD
122 (T) (SP), 130 (T) (SP), 152 (SP), 170 (SP) Howitzers

Figure 5. Threat Major Weapon Systems Highlights

Figure 5 lists the Threat major weapon systems included in the COSAGE boards.

2.6 US Major Weapon Systems Quantities




Figure 6. US Major Weapon Systems Quantities

Quantities of some US major weapon systems did change substantially from CFC98 to NEA 99. The (L) in the AH-64 quantities represents Longbows. These quantities represent a stylized

division. A stylized division contains quantities of major weapon systems proportional to the amounts projected for the theater. These changes are shown in Figure 6.

2.7 Ally Major Weapon Systems Quantities




Figure 7. Ally Major Weapon Systems Quantities

Quantities of some Ally major weapon systems also changed substantially from CFC98 to NEA 99. These changes are shown in Figure 7.

2.8 Threat Major Weapon Systems Quantities

Threat	system	NEA 99	CFC 98	
Tanks				
	T55	144	91	
	T62	96, 10 (C)	104, 39 (C)	
ΑT		00, 10 (0)	10 1, 00 (0)	
	M1973	186	155	
	M1985	36	48	
	M1992	21	31	
Helos				
	MD 500	6	0	
	Hoplite	6 5	20	
Artillery	•			
	107 MRL	114	88	
	122 MRL	64	64	
	240 MRL	20	32	
	SCUD	9	9	
	122mm (T)	144	54	
	122mm (SP)	126	160	
	130mm (T)	36	36	
	130mm (SP)	39	48	
	152mm (T)	72	0	
	152mm (SP)	112	144	
	170mm (SP)	35	35	
	SCUDS	9	9	

Figure 8. Threat Major Weapon Systems Quantities

Some Threat major weapon system quantities changed substantially from CFC98 to NEA 99 as well. Figure 8 highlights these changes.

3 OUTPUT DATA ANALYSIS




Figure 9. Output Data Analysis

Output data analysis focused on the interactions between the major US, Ally, and Threat direct fire systems in the two postures shown in Figure 9. These postures serve as a representative sample of the seven postures for direct fire systems.

Output data analysis also focused on US indirect fire engagements, force and system performance ratios, and percentage of kills by systems.

3.2 Ally KPS: K1 (105mm)




Figure 10. Ally KPS: K1 (105mm)

Analysis began with the Ally K1 tank (Figure 10). The system exists in both studies and engages the same targets in both. Mean engagement ranges decreased due to the minimum SSPK function; operational probability of kill (PK) values increased slightly due to the decreased engagement ranges.

3.3 Ally KPS: KIFV (TOW IIA)




Figure 11. Ally KPS: KIFV (TOW IIA)

The next system considered was the Ally KIFV (TOW IIA), shown in Figure 11. This system exists in both studies and engages the same targets in both. Mean engagement ranges decreased slightly due to the minimum SSPK function. Operational PK values decreased, despite the decreased engagement ranges, due to updated SSPK values for the TOW IIA.

3.4 Threat KPS: T55 (100mm)




Figure 12. Threat KPS: T55 (100mm)

The Threat T55 tank was the next system to be analyzed (Figure 12). As with other systems, this system exists in both studies and engages the same targets in both. Mean engagement ranges decreased due to the minimum SSPK function, and operational PK values improved slightly due to the decreased engagement ranges.

3.5 Threat KPS: M1992 (AT3)




Figure 13. Threat KPS: M1992 (AT3)

Threat analysis continued with the M1992 (AT3), a system which also exists in both studies and engages the same targets in both. For this system, mean engagement ranges decreased due to the minimum (the minimum SSPK function). Operational PK values decreased, despite the decreased engagement ranges.

3.6 US KPS: M1A2 (120mm)




Figure 14. US KPS: M1A2 (120mm)

The analysis of US systems began with the US M1A2 tank, Figure 14. As with other systems, the system exists in both studies and engages the same targets in both. Mean engagement ranges decreased due to the minimum SSPK function. Operational PK values increased slightly due to the decreased engagement ranges.

3.7 US KPS: M2A2 (TOW IIB)




Figure 15. US KPS: M2A2 (TOW IIB)

Analysis continued with the US M2A2 (TOW IIB), as shown in Figure 15. As before, the system exists in both studies and engages the same targets in both. Mean engagement ranges decreased slightly for most systems due to the minimum SSPK function. Operational PK values decreased, for most systems despite the decreased engagement ranges, due to updated SSPK values for the TOW IIB.

3.8 US KPS: AH-64 (Hellfire)




Figure 16. US KPS: AH-64 (Hellfire)

The US Apache, Alpha model, was the next system considered (Figure 16). The system exists in both studies and engages the same targets in both. Mean engagement ranges changed little in response to the minimum SSPK function due to the flatness of the SSPK curve vs range for the Hellfire. Operational PK values increased due to the improved aviation algorithm incorporated into the COSAGE Model in January 2000

3.9 US KPS: AH-64D (Hellfire RF)




Figure 17. US KPS: AH-64D (Hellfire RF)

Next analyzed was the US Apache, Delta model, which also exists in both studies (Figure 17). Several Threat systems not targeted in CFC98 were added to the list of potential targets in NEA99. Mean engagement ranges changed little in response to the minimum SSPK function due to the flatness of the SSPK curve vs range for the Hellfire RF. Operational PK values increased due to the improved aviation algorithm incorporated into COSAGE in January 2000.

3.10 Threat KPS: T55 (100mm)




Figure 18. Threat KPS: T55 (100mm)

Analysis continued with the Threat T55 tank (Figure 18). This system exists in both studies and engages the same targets in both. Mean engagement ranges decreased due to the minimum SSPK function, and operational PK values improved due to the decreased engagement ranges. T55s had an extremely high operational PK (0.5) against the M966 due to a small number of T55 - M966 engagements.

3.11 Threat KPS: M1973 (AT3)




Figure 19. Threat KPS: M1973 (AT3)

The Threat M1973 (AT3) was the next system considered (Figure 19). The system also exists in both studies and engages the same targets in both. Mean engagement ranges remained constant due to the flatness of the AT3 SSPK curve. Operational PK values changed little due to the constancy in engagement ranges. M1973s had an extremely high operational PK (0.44) against the M966 due to a small number of M1973 - M966 engagements.

98 99 40 30 30 20 20 10 10 Heavy US attack US US **US** attack Heavy prepared static static prepared defense defense ■ M1 ■ M2 □ AH64-A □ AH64-D ■ M1 ■ M2 □ AH64-A □ AH64-D

3.12 US Direct Fire (engagement/system/day)

Figure 20. US Direct Fire (engagement/system/day)

The minimum SSPK function decreased the number of indirect shots by limiting the systems to engaging targets only when a reasonable chance of hitting the target existed. This had a greater impact on tank engagements than missile engagements due to the flatness of the missile SSPK curves, as shown in Figure 20. An engagement is defined as a single round fired.

3.13 US Indirect Fire (rounds/tube/day)




Figure 21. US Indirect Fire (rounds/tube/day)

As shown in Figure 21, indirect fire engagements remained constant from CFC98 to NEA99.

3.14 LER Comparison




Figure 22. LER Comparison

Figure 22 shows that LER patterns remained constant across both studies. The improved US aviation algorithm accounted for the improved LER values in NEA99.

3.15 FER Comparison




Figure 23. FER Comparison

FER values increased for 98-99, as shown in Figure 23. The improved US aviation algorithm accounted for much of the improved FER values in NEA99.

3.16 SER Comparison




Figure 24. SER Comparison

SER patterns during the US/Ally Defend posture remained constant across both studies, as Figure 24 shows.

3.17 SER Comparison, Static Posture




Figure 25. SER Comparison, Static Posture

SER patterns during the Static posture remained constant across both studies (Figure 25).

3.18 SER Comparison, US/Ally Attack




Figure 26. SER Comparison, US/Ally Attack

As shown in Figure 26, SER patterns during the US/Ally Attack posture remained constant across both studies.

3.19 Summary

The NEA 99 COSAGE boards

- Adequately represent the force structure in NEA for 1999.
- Adequately reflect the doctrinal needed for theater simulations in Northeast Asia.
- Adequately represent system level performance of the major weapon systems for the forces in Northeast Asia.

Mr. E. B. Vandiver, Director, CAA, approved the release of the NEA99 boards for use in the Concepts Evaluation Model (CEM) on 5 April 2000.

APPENDIX A PROJECT CONTRIBUTORS

1. PROJECT TEAM

a. Project Director

Mr. Dave Reynolds, Operational Capability Assessments-Northeast Asia

b. Team Members

MAJ Robert Shearer

2. PRODUCT REVIEW

Dr. Ralph E. Johnson, Quality Assurance

NEA99 A-1

APPENDIX B REQUEST FOR ANALYTICAL SUPPORT

P Performing Division: 99093 NE Account Number: A Tasking: Informal *Mode (Contract-Yes/No):* No R Acronym: COS-NEA99 \mathbf{T} **Title:** Northeast Asia Current Year COSAGE Boards **1** *Start Date:* 12-Jul-99 **Estimated Completion Date:** 15-Oct-99 Requestor/Sponsor (i.e., DCSOPS): CAA Sponsor Division: NE Resource Estimates: a. Estimated PSM: 3 b. Estimated Funds: \$0.00 c. Models to be COSAGE, CEM Description/Abstract: Develop current year COSAGE boards for OCA-NEA Study Director/POC Signature: Original Signed Phone#: 703-806-5519 Study Director/POC: Mr. David Reynolds If this Request is for an External Project expected to consume 6 PSM or more, Part 2 Information is Not Required. See Chap 3 of the Project Directors' Guide for preparation of a Formal Project Directive. Background: P Current Year COSAGE boards for OCA-NEA need to be updated. A R Scope: \mathbf{T} Issues: Milestones: TBD Signatures Division Chief Signature: Original Signed and Dated Date: Division Chief Concurrence: Sponsor Signature: Original Signed and Dated Date: Sponsor Concurrence (COL/DA Div Chief/GO/SES) OCA NEA

NEA99 B-1

NEA99 B-1